

10/044,279

L Number	Hits	Search Text	DB	Time stamp
1	4	427/286[ccls] and (((different differing) near3 compositions) with adjacent)	USPAT; EPO; JPO; DERWENT	2004/03/12 13:42
-	2065	((427/355) or (427/359) or (427/444) or (118/100) or (118/110) or (118/dig.15)).CCLS.	USPAT; EPO; JPO; DERWENT	2004/03/09 16:22
-	9	((427/355) or (427/359) or (427/444) or (118/100) or (118/110) or (118/dig.15)).CCLS.) and ((mayer meyer wire\$lwound) near3 rod)	USPAT; EPO; JPO; DERWENT	2004/03/09 16:32
-	7	("1043021").PN.	USPAT; EPO; JPO; DERWENT	2004/03/09 16:51
-	2	("1939012").PN.	USPAT; EPO; JPO; DERWENT	2004/03/09 16:31
-	24	((mayer meyer wire\$lwound) near3 rod) same coat\$3 same (stick\$3 stuck pick\$4up)	USPAT; EPO; JPO; DERWENT	2004/03/09 16:33
-	760	(uniform uniformity smooth\$3 post\$1treat\$4) same (mayer meyer wire\$lwound)	USPAT; EPO; JPO; DERWENT	2004/03/10 09:50
-	425	(uniform uniformity smooth\$3 post\$1treat\$4) same (mayer meyer wire\$lwound) same coat\$3	USPAT; EPO; JPO; DERWENT	2004/03/10 10:04
-	752	((multiple plural several) with (coatings coats layers)) and ((applicator applied applied applying coating) with (wire\$lwound Mayer Meyer))	USPAT; EPO; JPO; DERWENT	2004/03/10 10:06
-	83	((multiple plural several) with (coatings coats layers)) same ((applicator applied applied applying coating) with (wire\$lwound Mayer Meyer))	USPAT; EPO; JPO; DERWENT	2004/03/10 10:12
-	984	((multiple plural several two "at least") with (wire\$lwound Mayer Meyer))	USPAT; EPO; JPO; DERWENT	2004/03/10 10:13
-	818	((multiple plural two "at least") with (wire\$lwound Mayer Meyer))	USPAT; EPO; JPO; DERWENT	2004/03/10 10:13
-	814	((multiple plural two) with (wire\$lwound Mayer Meyer))	USPAT; EPO; JPO; DERWENT	2004/03/10 10:13
-	120	((multiple plural) with (wire\$lwound Mayer Meyer))	USPAT; EPO; JPO; DERWENT	2004/03/10 10:20
-	1	2002-203223.NRAN.	DERWENT	2004/03/10 10:14
-	1	((multiple plural) with (wire\$lwound Mayer Meyer)) with (rotat\$3 revolv\$3)	USPAT; EPO; JPO; DERWENT	2004/03/10 10:15
-	61	((applicator application applied applying) ((application applying) near3 means))) same ((multiple plural two) with ((wire\$lwound meyer mayer) near3 (bar rod))	USPAT; EPO; JPO; DERWENT	2004/03/10 10:23
-	56	((applicator application applied applying) ((application applying) near3 means))) same ((multiple plural two) with ((wire\$lwound meyer mayer) near3 (bar rod)) same coat\$3	USPAT; EPO; JPO; DERWENT	2004/03/10 11:02
-	26	((applicator application applied applying) ((application applying) near3 means))) same ((multiple plural two) with ((wire\$lwound meyer mayer) near3 (bar rod)) same coat\$3	USOCR	2004/03/10 11:05
-	15	101/\$[ccls] and ((wire\$lwound meyer mayer) near3 (bar rod))	USOCR	2004/03/10 11:05
-	124	101/\$[ccls] and ((wire\$lwound meyer mayer) near3 (bar rod))	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/03/10 11:07

WPF 3/12/2004

-	57	((wire\$1wound meyer mayer) near3 (bar rod)) same (pick\$1up stick\$3 stuck)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 11:08
-	48	((wire\$1wound meyer mayer) near3 (bar rod)) same (pick\$1up stick\$3 stuck) same coat\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 11:08
-	9	((wire\$1wound meyer mayer) near3 (bar rod)) with (pick\$1up stick\$3 stuck) same coat\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 11:09
-	34	((("1043021") or ("2105488") or ("2105981") or ("2229620") or ("2229621") or ("2237045") or ("2237068") or ("2245045") or ("3018757") or ("3920862") or ("4020194") or ("4267215") or ("4378390") or ("4569864") or ("4748043") or ("4830873") or ("5326598") or ("5332797") or ("5447474") or ("5460120") or ("5536314") or ("5620514") or ("5585545") or ("5599602") or ("5708527") or ("5733608") or ("5871585") or ("5954907") or ("6117237") or ("3718117") or ("4102301") or ("4354449") or ("3169081") or ("5409732")).PN.	USPAT	2004/03/10 11:24
-	1	("3304910").PN.	USPAT	2004/03/10 11:15
-	3	((("2066780") or ("3196784") or ("2100587")).PN.	USPAT	2004/03/10 11:27
-	0	(coating adj material) with (picked\$1up sticks\$1to) with (wire\$1wound meyer mayer)	USPAT; EPO; JPO; DERWENT	2004/03/10 11:28
-	0	(picked\$1up sticks\$1to) with (wire\$1wound meyer mayer)	USPAT; EPO; JPO; DERWENT	2004/03/10 11:29
-	0	(picked\$1up stick\$4to stuck\$1to) with (wire\$1wound meyer mayer)	USPAT; EPO; JPO; DERWENT	2004/03/10 11:32
-	3	((multiple plural several) near3 (coat\$3 layer)) and (((first base primary) near3 (coat\$3 layer)) with (wet un\$1cured)) and (((second top next subsequent) near3 (coat\$3 layer)) same (wire\$1wound meyer mayer))	USPAT; EPO; JPO; DERWENT	2004/03/10 11:40
-	1	("4102301").PN.	USPAT	2004/03/10 12:53
-	19	(wire\$1wound meyer mayer) same (transferred transported carried) same around	USPAT; EPO; JPO; DERWENT	2004/03/10 16:44
-	1	(wire\$1wound meyer mayer) with (doctor scraper) with remov\$4	USPAT; EPO; JPO; DERWENT	2004/03/12 13:42

Inventor Name Search Result

Your Search was:

10/044,279

Last Name = LEONARD
First Name = WILLIAM K.

Application#	Patent#	Status	Date Filed	Title	Inventor Name 23
09185991	Not Issued	161	11/04/1998	APPARATUS AND METHOD FOR APPLYING FLUID TO A MOVING WEB OF MATERIAL	LEONARD , WILLIAM K.
09061262	5984988	150	04/17/1998	SHAPED ABRASIVE PARTICLES AND METHOD OF MAKING SAME	LEONARD , WILLIAM K.
08832934	Not Issued	161	04/04/1997	CONTINUOUS FLUID FLOW CHEMICAL ALTERATION PROCESS	LEONARD , WILLIAM K.
08585264	5641544	150	01/11/1996	METHOD AND APPARATUS FOR APPLYING THIN FLUID COATINGS	LEONARD , WILLIAM K.
08585263	5733608	150	01/11/1996	METHOD AND APPARATUS FOR APPLYING THIN FLUID COATING STRIPES	LEONARD , WILLIAM K.
08534183	5599602	150	09/26/1995	DOUBLE-SIDED PRESSURE-SENSITIVE ADHESIVE TAPE AND METHOD OF MAKING	LEONARD , WILLIAM K.
08527141	Not Issued	163	09/12/1995	LAMINATION PROCESS FOR COATINGS	LEONARD , WILLIAM K.
08459311	5587184	150	06/02/1995	COATING DIE WITH SLOT THICKNESS CONTROL	LEONARD , WILLIAM K.
08412758	5589122	150	03/29/1995	METHOD OF MAKING DOUBLE-SIDED PRESSURE-SENSITIVE ADHESIVE TAPE	LEONARD , WILLIAM K.
08382964	5506000	150	02/02/1995	SLOT COATING METHOD AND APPARATUS	LEONARD , WILLIAM K.
08382963	5525376	150	02/02/1995	MULTIPLE LAYER COATING METHOD	LEONARD , WILLIAM K.
08382962	Not Issued	166	02/02/1995	METHOD AND APPARATUS FOR APPLYING THIN FLUID COATINGS	LEONARD , WILLIAM K.
08382689	5505995	150	02/02/1995	METHOD AND APPARATUS FOR COATING SUBSTRATES USING AN AIR KNIFE	LEONARD , WILLIAM K.
08382623	Not Issued	166	02/02/1995	METHOD AND APPARATUS FOR APPLYING THIN FLUID COATING STRIPES	LEONARD , WILLIAM K.
08235423	Not Issued	163	04/29/1994	PRECISION COATING PROCESS FOR PREPARING POLYMERIZABLE FILMS	LEONARD , WILLIAM K.
08235366	Not Issued	161	04/29/1994	LAMINATION PROCESS FOR COATINGS	LEONARD , WILLIAM K.
08177152	5464577	150	01/04/1994	METHOD OF THICKNESS CONTROL FOR DIES	LEONARD , WILLIAM K.
08166549	Not Issued	166	12/14/1993	DOUBLE-SIDED PRESSURE-SENSITIVE ADHESIVE TAPE AND METHOD OF MAKING	LEONARD , WILLIAM K.
08160445	5409732	150	12/01/1993	ROLL GAP CONTROLLER FOR REGULATING COATING THICKNESS	LEONARD , WILLIAM K.
07991996	5304331	150	12/17/1992	METHOD AND APPARATUS FOR EXTRUDING BINGHAM PLASTIC-TYPE MATERIALS	LEONARD , WILLIAM K.
07919179	5201916	150	07/23/1992	SHAPED ABRASIVE PARTICLES AND METHOD OF MAKING SAME	LEONARD , WILLIAM K.
07918360	Not Issued	163	07/23/1992	SHAPED ABRASIVE PARTICLES AND METHOD OF MAKING SAME	LEONARD , WILLIAM K.
07861281	Not Issued	166	03/31/1992	ROLL GAP CONTROLLER	LEONARD , WILLIAM K.

Inventor Search Completed: No Records to Display.

Last Name	First Name	
Search Another: Inventor	LEONARD	WILLIAM K.
		Search

WPF 3/12/2004

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)